# Can We Assess Mental Health through Social Media and Smart Devices? Addressing Bias in Methodology and Evaluation

Adam Tsakalidis<sup>1,2</sup>, Maria Liakata<sup>1,2</sup>, Theo Damoulas<sup>1,2</sup>, and Alexandra I. Cristea<sup>1,3</sup>

<sup>1</sup> University of Warwick, UK {a.tsakalidis, m.liakata, t.damoulas, a.i.cristea}@warwick.ac.uk
<sup>2</sup> The Alan Turing Institute, UK
<sup>3</sup> Durham University, UK

Abstract. Predicting mental health from smartphone and social media data on a longitudinal basis has recently attracted great interest, with very promising results being reported across many studies [3,9,13,26]. Such approaches have the potential to revolutionise mental health assessment, if their development and evaluation follows a real world deployment setting. In this work we take a closer look at state-of-the-art approaches, using different mental health datasets and indicators, different feature sources and multiple simulations, in order to assess their ability to generalise. We demonstrate that under a pragmatic evaluation framework, none of the approaches deliver or even approach the reported performances. In fact, we show that current state-of-the-art approaches can barely outperform the most naïve baselines in the real-world setting, posing serious questions not only about their deployment ability, but also about the contribution of the derived features for the mental health assessment task and how to make better use of such data in the future.

Keywords: mental health  $\cdot$  bias  $\cdot$  evaluation  $\cdot$  wellbeing  $\cdot$  natural language processing  $\cdot$  smartphones  $\cdot$  sensors  $\cdot$  social media

# 1 Introduction

Establishing the right indicators of mental well-being is a grand challenge posed by the World Health Organisation [7]. Poor mental health is highly correlated with low motivation, lack of satisfaction, low productivity and a negative economic impact [20]. The current approach is to combine census data at the population level [19], thus failing to capture well-being on an individual basis. The latter is only possible via self-reporting on the basis of established psychological scales, which are hard to acquire consistently on a longitudinal basis, and they capture long-term aggregates instead of the current state of the individual.

The widespread use of smart-phones and social media offers new ways of assessing mental well-being, and recent research [1,2,3,5,9,10,13,14,22,23,26] has started exploring the effectiveness of these modalities for automatically assessing

the mental health of a subject, reporting very high accuracy. What is typically done in these studies is to use features based on the subjects' smart phone logs and social media, to predict some self-reported mental health index (e.g., "wellbeing", "depression" and others), which is provided either on a Likert scale or on the basis of a psychological questionnaire (e.g., PHQ-8 [12], PANAS [29], WEMWBS [25] and others).

Most of these studies are longitudinal, where data about individuals is collected over a period of time and predictions of mental health are made over a sliding time window. Having such longitudinal studies is highly desirable, as it can allow fine-grained monitoring of mental health. However, a crucial question is what constitutes an appropriate evaluation framework, in order for such approaches to be employable in a real world setting. Generalisation to previously unobserved users can only be assessed via leave-N-users-out cross-validation setups, where typically, N is equal to one (LOUOCV, see Table 1). However, due to the small number of subjects that are available, such generalisation is hard to achieve by any approach [13]. Alternatively, personalised models [3,13] for every individual can be evaluated via a within-subject, leave-N-instances-out cross-validation (for N=1, LOIOCV), where an instance for a user u at time iis defined as a  $\{X_{ui}, y_{ui}\}$  tuple of  $\{\text{features}(u, i), \text{mental-health-score}(u, i)\}$ . In a real world setting, a LOIOCV model is trained on some user-specific instances, aiming to predict her mental health state at some future time points. Again however, the limited number of instances for every user make such models unable to generalize well. In order to overcome these issues, previous work [2,5,9,10,22,26] has combined the instances  $\{X_{u_j i}, y_{u_j i}\}$  from different individuals  $u_j$  and performed evaluation using randomised cross validation (MIXED). While such approaches can attain optimistic performance, the corresponding models fail to generalise to the general population and also fail to ensure effective personalised assessment of the mental health state of a single individual.

	LOUOCV	LOIOCV	MIXED
Real	Build a model $m$ that	Build a personalised model $m_u$ per	Build a model $m$ that generalises to new
world	generalises to a previ-	user $u$ that generalises on $u$ , given	instances of a specific pool of previously
aim	ously unseen user $u$	some manual input by $u$	seen users
Train	$\{\{X_{\psi i}, y_{\psi i}\}\}$	$\{\{X_{ui'}, y_{ui'}\}\}$	$\{\{X_{u_0i'}, y_{u_0i'}\}, \dots, \{X_{u_ni'}, y_{u_ni'}\}\}$
Test	$\{X_{ui}, y_{ui}\}$	$\{X_{ui}, y_{ui}\}$	$\{\{X_{u_0i}, y_{u_0i}\},, \{X_{u_ni}, y_{u_ni}\}\}$
	Few users for training	Few instances per user for training	Cannot ensure generalisation neither
Limits	and evaluation	and evaluation	over new users nor in a personalised way

Table 1. Summary of the three evaluation frameworks.

In this paper we demonstrate the challenges that current state-of-the-art models face, when tested in a real-world setting. We work on two longitudinal datasets with four mental health targets, using different features derived from a wide range of heterogeneous sources. Following the state-of-the-art experimental methods and evaluation settings, we achieve very promising results, regardless of the features we employ and the mental health target we aim to predict. However, when tested under a pragmatic setting, the performance of these models drops

Work	Target	Modalities	Type	Size	Eval
Ma et al. [14]	Tiredness, Tensity,	location, accelerometer, sms, calls	Class.	15	N/A
	Displeasure (1-5)				
Bogomolov et al. [2]	Happiness (1-7)	weather, calls, bluetooth, sms, Big Five	Class.	117	MIXED
LiKamWa et al. [13]	Activeness, Pleasure	email/phone/sms contacts, location, apps,	Regr.	32	LOIOCV
	(1-5)	websites			LOUOCV
Bogomolov et al. [1]	Stress (1-7)	weather, calls, bluetooth, sms, Big Five	Class.	117	MIXED
Canzian and Musolesi [3]	PHQ-8	GPS	Class.	48	LOIOCV
Jaques et al. [9,10]	Happiness [9],	electrodermal activity, calls, accelerome-	Class.	68	MIXED
	{Happiness, Health,	ter, sms, surveys, phone usage, locations			
	Stress, Energy, Alert-				
	ness} (0-100) [10]				
Tsakalidis et al. [26]	PANAS, WEMWBS	social media, calls, sms, locations, head-	Regr.	19	MIXED
		phones, charger, screen/ringer mode, wifi			
Farhan et al. [5]	PHQ-9	GPS, PHQ-9 scores	Class.	79	MIXED
Wang et al. [27]	Positive, Negative (0-	GPS, calls, accelerometer, microphone,	Regr.	21	LOIOCV
	15), Positive-Negative	light sensor, sms, apps, phone locked			LOUOCV
Servia-Rodriguez et al.	Positive/Negative,	microphone, accelerometer, calls, sms	Class.	726	MIXED
[22]	Alert/Sleepy				
Suhara et al. [23]	Mood (binary)	daily surveys	Class.	2,382	LNUOCV

Table 2. Works on predicting mental health in a longitudinal manner.

heavily, failing to outperform the most naïve – from a modelling perspective – baselines: majority voting, random classifiers, models trained on the identity of the user, etc. This poses serious questions about the contribution of the features derived from social media, smartphones and sensors for the task of automatically assessing well-being on a longitudinal basis. Our goal is to flesh out, study and discuss such limitations through extensive experimentation across multiple settings, and to propose a pragmatic evaluation and model-building framework for future research in this domain.

# 2 Related Work

Research in assessing mental health on a longitudinal basis aims to make use of relevant features extracted from various modalities, in order to train models for automatically predicting a user's mental state (target), either in a classification or a regression manner [1,2,3,9,10,13,26]. Examples of state-of-the-art work in this domain are listed in Table 2, along with the number of subjects that was used and the method upon which evaluation took place. Most approaches have used the "MIXED" approach to evaluate models [1,2,5,9,10,22,26], which, as we will show, is vulnerable to bias, due to the danger of recognising the user in the test set and thus simply inferring her average mood score. LOIOCV approaches that have not ensured that their train/test sets are independent are also vulnerable to bias in a realistic setting [3,13]. From the works listed in Table 2, only Suhara et al. [23] achieves unbiased results with respect to model generalisability; however, the features employed for their prediction task are derived from self-reported questionnaires of the subjects and not by automatic means.

# 3 Problem Statement

We first describe three major problems stemming from unrealistic construction and evaluation of mental health assessment models and then we briefly present the state-of-the-art in each case, which we followed in our experiments.

- **P1** Training on past values of the target variable: This issue arises when the past N mood scores of a user are required to predict his/her next mood score in an autoregressive manner. Since such an approach would require the previous N scores of past mood forms, it would limit its ability to generalise without the need of manual user input in a continuous basis. This makes it impractical for a real-world scenario. Most importantly, it is difficult to measure the contribution of the features towards the prediction task, unless the model is evaluated using target feature ablation. For demonstration purposes, we have followed the experimental setup by LiKamWa et al. [13], which is one of the leading works in this field.
- **P2** Inferring test set labels: When training personalised models (LOIOCV) in a longitudinal study, it is important to make sure that there are no overlapping instances across consecutive time windows. Some past works have extracted features  $\{f(t N), ..., f(t)\}$  over N days, in order to predict the score<sub>t</sub> on day N + 1 [3,13]. Such approaches are biased if there are overlapping days of train/test data. To illustrate this problem we have followed the approach by Canzian and Musolesi [3], as one of the pioneering works on predicting depression with GPS traces, on a longitudinal basis.
- **P3** Predicting users instead of mood scores: Most approaches merge all the instances from different subjects, in an attempt to build user-agnostic models in a randomised cross-validation framework [2,9,10,26]. This is problematic, especially when dealing with a small number of subjects, whose behaviour (as captured through their data) and mental health scores differ on an individual basis. Such approaches are in danger of "predicting" the user in the test set, since her (test set) features might be highly correlated with her features in the training set, and thus infer her average well-being score, based on the corresponding observations of the training set. Such approaches cannot guarantee that they will generalise on either a population-wide (LOUOCV) or a personalised (LOIOCV) level. In order to examine this effect in both a regression and a classification setting, we have followed the experimental framework by Tsakalidis et al. [26] and Jaques et al. [9].

# 3.1 P1: Training on past values of the target (LOIOCV, LOUOCV)

LiKamWa et al. [13] collected smartphone data from 32 subjects over a period of two months. The subjects were asked to self-report their "pleasure" and "activeness" scores at least four times a day, following a Likert scale (1 to 5), and the average daily scores served as the two targets. The authors aggregated various features on social interactions (e.g., number of emails sent to frequently interacting contacts) and routine activities (e.g., browsing and location history) derived from the smartphones of the participants. These features were extracted over a period of three days, along with the two most recent scores on activeness and pleasure. The issue that naturally arises is that such a method cannot generalise to new subjects in the LOUOCV setup, as it requires their last two days of self-assessed scores. Moreover, in the LOIOCV setup, the approach is limited in a real world setting, since it requires the previous mental health scores by the subject to provide an estimate of her current state. Even in this case though, the feature extraction should be based on past information only – under LOIOCV in [13], the current mood score we aim at predicting is also used as a feature in the (time-wise) subsequent two instances of the training data.

Experiments in [13] are conducted under LOIOCV and LOUOCV, using Multiple Linear Regression (LR) with Sequential Feature Selection (in LOUOCV, the past two pairs of target labels of the test user are still used as features). In order to better examine the effectiveness of the features for the task, the same model can be tested without any ground-truth data as input. Nevertheless, a simplistic model predicting the per-subject average outperforms their LR in the LOUOCV approach, which poses the question of whether the smartphone-derived features can be used effectively to create a generalisable model that can assess the mental health of unobserved users. Finally, the same model tested in the LOIOCV setup achieves the lowest error; however, this is trained not only on target scores overlapping with the test set, but also on features derived over a period of three days, introducing further potential bias, as discussed in the following.

### 3.2 P2: Inferring Test Labels (LOIOCV)

Canzian and Musolesi [3] extracted mobility metrics from 28 subjects to predict their depressive state, as derived from their daily self-reported PHQ-8 questionnaires. A 14-day moving average filter is first applied to the PHQ-8 scores and the mean value of the same day (e.g. Monday) is subtracted from the normalised scores, to avoid cyclic trends. This normalisation results into making the target score  $s_t$  on day t dependent on the past  $\{s_{t-14}, ..., s_{t-1}\}$  scores. The normalised PHQ-8 scores are then converted into two classes, with the instances deviating more than one standard deviation above the mean score of a subject being assigned to the class "1" ("0", otherwise). The features are extracted over various time windows (looking at  $T_{HIST} = \{0, ..., 14\}$  days before the completion of a mood form) and personalised model learning and evaluation are performed for every  $T_{HIST}$  separately, using a *LOIOCV* framework.

What is notable is that the results improve significantly when features are extracted from a wider  $T_{HIST}$  window. This could imply that the depressive state of an individual can be detected with a high accuracy if we look back at her history. However, by training and testing a model on instances whose features are derived from the same days, there is a high risk of over-fitting the model to the timestamp of the day in which the mood form was completed. In the worst-case scenario, there will be an instance in the train set whose features (e.g. total covered distance) are derived from the 14 days, 13 of which will also be used for the instance in the test set. Additionally, the target values of these two instances

will also be highly correlated due to the moving average filter, making the task artificially easy for large  $T_{HIST}$  and not applicable in a real-world setting.

While we focus on the approach in [3], a similar approach with respect to feature extraction was also followed in LiKamWa et al. [13] and Bogomolov et al. [2], extracting features from the past 2 and 2 to 5 days, respectively.

# 3.3 P3: Predicting Users (LOUOCV)

Tsakalidis et al. [26] monitored the behaviour of 19 individuals over four months. The subjects were asked to complete two psychological scales [25,29] on a daily basis, leading to three target scores (positive, negative, mental well-being); various features from smartphones (e.g., time spent on the preferred locations) and textual features (e.g., ngrams) were extracted passively over the 24 hours preceding a mood form timestamp. Model training and evaluation was performed in a randomised (MIXED) cross-validation setup, leading to high accuracy  $(R^2 = 0.76)$ . However, a case demonstrating the potential user bias is when the models are trained on the textual sources: initially the highest  $R^2$ (0.22) is achieved when a model is applied to the mental-wellbeing target; by normalising the textual features on a per-user basis, the  $R^2$  increases to 0.65. While this is likely to happen because the vocabulary used by different users is normalised, there is also the danger of over-fitting the trained model to the identity of the user. To examine this potential, the LOIOCV/LOUOCV setups need to be studied alongside the MIXED validation approach, with and without the per-user feature normalisation step.

A similar issue is encountered in Jaques et al. [9] who monitored 68 subjects over a period of a month. Four types of features were extracted from survey and smart devices carried by subjects. Self-reported scores on a daily basis served as the ground truth. The authors labelled the instances with the top 30% of all the scores as "happy" and the lowest 30% as "sad" and randomly separated them into training, validation and test sets, leading to the same user bias issue. Since different users exhibit different mood scores on average [26], by selecting instances from the top and bottom scores, one might end up separating users and convert the mood prediction task into a user identification one. A more suitable task could have been to try to predict the highest and lowest scores of every individual separately, either in a LOIOCV or in a LOUOCV setup.

While we focus on the works of Tsakalidis et al. [26] and Jaques et al. [9], similar experimental setups were also followed in [10], using the median of scores to separate the instances and performing five-fold cross-validation, and by Bogomolov et al. in [2], working on a user-agnostic validation setting on 117 subjects to predict their happiness levels, and in [1], for the stress level classification task.

# 4 Experiments

### 4.1 Datasets

By definition, the aforementioned issues are feature-, dataset- and target-independent (albeit the magnitude of the effects may vary). To illustrate this, we run a series Can We Assess Mental Health through Social Media and Smart Devices?

of experiments employing two datasets, with different feature sources and four different mental health targets.

**Dataset 1**: We employed the dataset obtained by Tsakalidis et al. [26], a pioneering dataset which contains a mix of longitudinal textual and mobile phone usage data for 30 subjects. From a textual perspective, this dataset consists of social media posts (1,854/5,167 facebook/twitter posts) and private messages (64,221/132/47,043 facebook/twitter/ SMS messages) sent by the subjects. For our ground truth, we use the {positive, negative, mental well-being} mood scores (in the ranges of [10-50], [10-50], [14-70], respectively) derived from self-assessed psychological scales during the study period.

**Dataset 2**: We employed the StudentLife dataset [28], which contains a wealth of information derived from the smartphones of 48 students during a 10-week period. Such information includes samples of the detected activity of the subject, timestamps of detected conversations, audio mode of the smartphone, status of the smartphone (e.g., charging, locked), etc. For our target, we used the self-reported stress levels of the students (range [0-4]), which were provided several times a day. For the approach in LiKamWa et al. [13], we considered the average daily stress level of a student as our ground-truth, as in the original paper; for the rest, we used all of the stress scores and extracted features based on some time interval preceding their completion, as described next, in  $4.3^4$ .

### 4.2 Task Description

We studied the major issues in the following experimental settings (see Table 3):

**P1:** Using Past Labels: We followed the experimental setting in [13] (see section 3.1): we treated our task as a regression problem and used Mean Squared Error (MSE) and classification accuracy<sup>5</sup> for evaluation. We trained a Linear Regression (LR) model and performed feature selection using Sequential Feature Selection under the LOIOCV and LOUOCV setups; feature extraction is performed over the previous 3 days preceding the completion of a mood form. For comparison, we use the same baselines as in [13]: Model A always predicts the average mood score for a certain user (AVG); Model B predicts the last entered scores (LAST); Model C makes a prediction using the LR model trained on the ground-truth features only (-feat). We also include Model D, trained on non-target features only (-mood) in an unbiased LOUOCV setting.

**P2:** Inferring Test Labels: We followed the experimental setting presented in [3]. We process our ground-truth in the same way as the original paper (see

 $<sup>^4</sup>$  For P3, this creates the P2 cross-correlation issue in the MIXED/LOIOCV settings. For this reason, we ran the experiments by considering only the last entered score in a given day as our target. We did not witness any major differences that would alter our conclusions.

<sup>&</sup>lt;sup>5</sup> Accuracy is defined in [13] as follows: 5 classes are assumed (e.g., [0, ..., 4]) and the squared error *e* between the centre of a class halfway towards the next class is calculated (e.g., 0.25). If the squared error of a test instance is smaller than *e*, then it is considered as having been classified correctly.

section 3.2) and thus treat our task as a binary classification problem. We use an SVM<sub>RBF</sub> classifier, using grid search for parameter optimisation, and perform evaluation using specificity and sensitivity. We run experiments in the *LOIOCV* and *LOUOCV* settings, performing feature extraction at different time windows  $(T_{HIST} = \{1, ..., 14\})$ . In order to better demonstrate the problem that arises here, we use the previous label classifier (LAST) and the SVM classifier to which we feed only the mood timestamp as a feature (DATE) for comparison. Finally, we replace our features with completely random data and train the same SVM with  $T_{HIST} = 14$  by keeping the same ground truth, performing 100 experiments and reporting averages of sensitivity and specificity (RAND).

**P3:** Predicting Users: We followed the evaluation settings of two past works (see section 3.3), with the only difference being the use of 5-fold CV instead of a train/dev/test split that was used in [9]. The features of every instance are extracted from the past day before the completion of a mood form. In Experi**ment 1** we follow the setup in [26]: we perform 5-fold CV(MIXED) using SVM  $(SVR_{RBF})$  and evaluate performance based on  $R^2$  and RMSE. We compare the performance when tested under the LOIOCV/LOUOCV setups, with and without the per-user feature normalisation step. We also compare the performance of the MIXED setting, when our model is trained on the one-hot-encoded user id only. In **Experiment 2** we follow the setup in [9]: we label the instances as "high" ("low"), if they belong to the top-30% (bottom-30%) of mood score values ("UNIQ" – for "unique" – setup). We train an SVM classifier in 5-fold CV using accuracy for evaluation and compare performance in the LOIOCV and LOUOCV settings. In order to further examine user bias, we perform the same experiments, this time by labelling the instances on a per-user basis ("PERS" – for "personalised" – setup), aiming to predict the per-user high/low mood days<sup>6</sup>.

Issue	P1: Training on past labels	P2: Inferring test labels	P3: Predicting users
Setting	LOIOCV,LOUOCV	LOIOCV, LOUOCV	MIXED, LOIOCV, LOUOCV
Task	Regr.	Class.	Regr. (E1); Class. (E2)
Metrics	MSE, accuracy	sensitivity, specificity	$R^2$ , RMSE (E1); accuracy (E2)
Period	Past 3 days	Past $\{1,,14\}$ days	Past day
Model	LR <sub>sfs</sub>	$SVM_{rbf}$	$SVR_{rbf}; SVM_{rbf}$
Baselines	AVG, LAST, -feat, -mood	LAST, DATE, RAND	model trained on user id

**Table 3.** Summary of experiments. The highlighted settings indicate the settings used in the original papers; "Period" indicates the period before each mood form completion during which the features were extracted.

#### 4.3 Features

For *Dataset 1*, we first defined a "user snippet" as the concatenation of all texts generated by a user within a set time interval, such that the maximum

 $<sup>^6</sup>$  In cases where the lowest of the top-30% scores (s) was equal to the highest of the bottom-30% scores, we excluded the instances with score s.

time difference between two consecutive document timestamps is less than 20 minutes. We performed some standard noise reduction steps (converted text to lowercase, replaced URLs/user mentions and performed language identification<sup>7</sup> and tokenisation [6]). Given a mood form and a set of snippets produced by a user before the completion of a mood form, we extracted some commonly used feature sets for every snippet written in English [26], which were used in all experiments. To ensure sufficient data density, we excluded users for whom we had overall fewer than 25 snippets on the days before the completion of the mood form or fewer than 40 mood forms overall, leading to 27 users and 2,368 mood forms. For Dataset 2, we extracted the features presented in Table 4. We only kept the users that had at least 10 self-reported stress questionnaires, leading to 44 users and 2, 146 instances. For our random experiments used in P2, in Dataset 1 we replaced the text representation of every snippet with random noise ( $\mu = 0, \sigma = 1$ ) of the same feature dimensionality; in Dataset 2, we replaced the actual inferred value of every activity/audio sample with a random inference class; we also replaced each of the detected conversation samples and samples detected in a dark environment/locked/charging, with a random number (<100, uniformly distributed) indicating the number of pseudo-detected samples.

(a) duration of the snippet; (b) binary ngrams $(n = 1, 2)$ ; (c) cosine sim-	(a) percentage of collected samples for
ilarity between the words of the document and the 200 topics obtained by	each activity (stationary, walking, run-
[21]; (d) functions over word embeddings dimensions [24] (mean, max,	ning, unknown) and (b) audio mode (si-
min, median, stdev, 1st/3rd quartile); (e) lexicons [8,11,16,17,18,30]: for	lence, voice, noise, unknown); (c) num-
lexicons providing binary values (pos/neg), we counted the number of	ber and total duration of detected con-
ngrams matching each class and for those with score values, we used the	versations; number of samples and to-
counts and the total summation of the corresponding scores. (f) num-	tal duration of the time during which the
ber of Facebook posts/messages/images, Twitter posts/messages, SMS,	phone was (d) in a dark environment,
number of tokens/messages/posts in the snippet.	(e) locked and $(f)$ charging.

Table 4. Features that were used in our experiments in Datasets 1, 2 (left, right).

# 5 Results

#### 5.1 **P1**: Using Past Labels

Table 5 presents the results on the basis of the methodology by LiKamWa et al. [13], along with the average scores reported in [13] – note that the range of the mood scores varies on a per-target basis; hence, the reported results of different models should be compared among each other when tested on the *same* target.

As in [13], always predicting the average score (AVG) for an unseen user performs better than applying a LR model trained on other users in a LOUOCVsetting. If the same LR model used in LOUOCV is trained without using the previously self-reported ground-truth scores (Model D, -mood), its performance drops further. This showcases that personalised models are needed for more

<sup>&</sup>lt;sup>7</sup> https://pypi.python.org/pypi/langid

	positive				wellbeing		stress		[13]	
	MSE	acc	MSE	acc	MSE	acc	MSE	acc	MSE	acc
LOIOCV	15.96 8	84.5	11.64	87.1	20.94	89.0	1.07	47.3	0.08	93.0
LOUOCV	36.77 6	63.4	31.99	68.3	51.08	72.8	0.81	45.4	0.29	66.5
A (AVG)	29.89	71.8	27.80	73.1	41.14	78.9	0.70	51.6	0.24	73.5
B (LAST)	43.44 6	60.4	38.22	63.2	55.73	71.6	1.15	51.5	0.34	63.0
C (-feat)	33.40	67.2	28.60	72.3	45.66	76.6	0.81	49.8	0.27	70.5
D (-mood)	113.30	30.9	75.27	44.5	138.67	42.5	1.08	44.4	N/A	N/A

Table 5. P1: Results following the approach in [13].


accurate mental health assessment (note that the AVG baseline is, in fact, a personalised baseline) and that there is no evidence that we can employ effective models in real-world applications to predict the mental health of previously unseen individuals, based on this setting.

The accuracy of LR under LOIOCV is higher, except for the "stress" target, where the performance is comparable to LOUOCV and lower than the AVG baseline. However, the problem in LOIOCV is the fact that the features are extracted based on the past three days, thus creating a temporal cross-correlation in our input space. If a similar correlation exists in the output space (target), then we end up in danger of overfitting our model to the training examples that are temporally close to the test instance. This type of bias is essentially present if we force a temporal correlation in the output space, as studied next.

### 5.2 P2: Inferring Test Labels

The charts in Fig. 1 (top) show the results by following the LOIOCV approach from Canzian and Musolesi [3]. The pattern that these metrics take is consistent and quite similar to the original paper: specificity remains at high values, while sensitivity increases as we increase the time window from which we extract our features. The charts on the bottom in Fig. 1 show the corresponding results in the LOUOCV setting. Here, such a generalisation is not feasible, since the increases in sensitivity are accompanied by sharp drops in the specificity scores.

The arising issue though lies in the LOIOCV setting. By training and testing on the same days (for  $T_{HIST} > 1$ ), the kernel matrix takes high values for cells which are highly correlated with respect to time, making the evaluation of the contribution of the features difficult. To support this statement, we train the same model under LOIOCV, using only on the mood form completion date (Unix epoch) as a feature. The results are very similar to those achieved by training on  $T_{HIST} = 14$  (see Table 6). We also include the results of another naïve classifier (LAST), predicting always the last observed score in the training set, which again achieves similar results. The clearest demonstration of the problem though is by comparing the results of the RAND against the FEAT classifier, which shows that under the proposed evaluation setup we can achieve similar performance if we replace our inputs with random data, clearly demonstrating the temporal bias that can lead to over-optimistic results, even in the LOIOCV setting.



**Fig. 1.** P2: Sensitivity/specificity (blue/red) scores over the {positive, negative, wellbeing, stress} targets by training on different time windows on the LOIOCV (top) and LOUOCV (bottom) setups, similar to [3].

	positive		negative		wellt	being	stress		
	sens	spec	sens	spec	sens	$\operatorname{spec}$	sens	$\operatorname{spec}$	
		95.23							
DATE	59.68	95.92	62.75	95.19	63.29	95.47	46.99	95.17	
LAST	67.37	94.12	69.08	94.09	66.05	93.42	58.20	93.83	
RAND	64.22	95.17	60.88	95.60	64.87	95.09	45.79	95.41	


**Table 6.** P2: Performance (sensitivity/specificity) of the SVM classifier trained over 14 days of smartphone/social media features (FEAT) compared against 3 naïve baselines.

### 5.3 **P3:** Predicting Users

**Experiment 1**: Table 7 shows the results based on the evaluation setup of Tsakalidis et al. [26]. In the *MIXED* cases, the pattern is consistent with [26], indicating that normalising the features on a per-user basis yields better results, when dealing with sparse textual features (positive, negative, wellbeing targets). The explanation of this effect lies within the danger of predicting the user's identity instead of her mood scores. This is why the per-user normalisation does not have any effect for the stress target, since for that we are using dense features derived from smartphones: the vocabulary used by the subjects for the other targets is more indicative of their identity. In order to further support this statement, we trained the SVR model using only the one-hot encoded user id as a feature, without any textual features. Our results yielded  $R^2 = \{0.64, 0.50, 0.66\}$  and  $RMSE = \{5.50, 5.32, 6.50\}$  for the  $\{\text{positive, negative, wellbeing}\}$  targets, clearly demonstrating the user bias in the *MIXED* setting.

The RMSEs in LOIOCV are the lowest, since different individuals exhibit different ranges of mental health scores. Nevertheless,  $R^2$  is slightly negative, implying again that the average predictor for a single user provides a better estimate for her mental health score. Note that while the predictions across all individuals seem to be very accurate (see Fig. 2), by separating them on a per-user basis, we end up with a negative  $R^2$ .

In the unbiased LOUOCV setting the results are, again, very poor. The reason for the high differences observed between the three settings is provided by the  $R^2$  formula itself  $(1 - (\sum_i (pred_i - y_i)^2)/(\sum_i (y_i - \bar{y})^2))$ . In the *MIXED* case, we train and test on the same users, while  $\bar{y}$  is calculated as the mean of the mood scores across all users, whereas in the LOIOCV/LOUOCV cases,  $\bar{y}$  is calculated for every user separately. In *MIXED*, by identifying who the user is, we have a rough estimate of her mood score, which is by itself a good predictor, if it is compared with the average predictor across all mood scores of all users. Thus, the effect of the features in this setting cannot be assessed with certainty.



	positive		negative			being	stress	
	$R^2$	RMSE	$R^2$	RMSE	$R^2$	RMSE	$R^2$	RMSE
MIXED <sub>+</sub>	0.43	6.91	0.25	6.49	0.48	8.04	0.02	1.03
MIXED_	0.13	8.50	0.00	7.52	0.13	10.33	0.03	1.03
LOIOCV <sub>+</sub>	-0.03	5.20	-0.04	5.05	-0.03	6.03	-0.08	0.91
LOIOCV_	-0.03	5.20	-0.04	5.05	-0.03	6.03	-0.08	0.91
$LOUOCV_+$	-4.19	8.98	-1.09	7.24	-4.66	10.61	-0.67	1.01
$\rm LOUOCV_{-}$	-4.38	8.98	-1.41	7.23	-4.62	10.62	-0.69	1.02

**Fig. 2.** P3: Actual vs predicted chart for the "wellbeing" target in *LOIOCV*. The across-subjects  $R^2$  is negative.

**Table 7.** P3: Results following the evaluation setup in [26] (*MIXED*), along with the results obtained in the *LOIOCV* and *LOUOCV* settings with (+) and without (-) per-user input normalisation.

**Experiment 2:** Table 8 displays our results based on Jaques et al. [9] (see section 3.3). The average accuracy on the "UNIQ" setup is higher by 14% compared to the majority classifier in MIXED. The LOIOCV setting also yields very promising results (mean accuracy: 81.17%). As in all previous cases, in LOUOCV our models fail to outperform the majority classifier. A closer look at the LOIOCV and MIXED results though reveals the user bias issue that is responsible for the high accuracy. For example, 33% of the users had all of their "positive" scores binned into one class, as these subjects were exhibiting higher (or lower) mental health scores throughout the experiment, whereas another 33% of the subjects had 85% of their instances classified into one class. By recognising the user, we can achieve high accuracy in the MIXED setting; in the LOIOCV, the majority classifier can also achieve at least 85% accuracy for 18/27 users.

	positive		negative			being	stress	
	UNIQ PERS							
		51.54						
LOIOCV	78.22	51.79	84.86	53.63	88.06	52.89	73.54	55.35
LOUOCV	47.36	50.74	42.41	52.45	45.57	50.10	49.77	55.11

**Table 8.** P3: Accuracy by following the evaluation setup in [9] (MIXED), along with the results obtained in LOIOCV & LOUOCV.

In the "*PERS*" setup, we removed the user bias, by separating the two classes on a per-user basis. The results now drop heavily even in the two previously well-performing settings and can barely outperform the majority classifier. Note that the task in Experiment 2 is relatively easier, since we are trying to classify instances into two classes which are well-distinguished from each other from a psychological point of view. However, by removing the user bias, the contribution of the user-generated features to this task becomes once again unclear.

# 6 Proposal for Future Directions

Our results emphasize the difficulty of automatically predicting individuals' mental health scores in a real-world setting and demonstrate the dangers due to flaws in the experimental setup. Our findings do not imply that the presented issues will manifest themselves to the same degree in different datasets – e.g., the danger of predicting the user in the *MIXED* setting is higher when using the texts of 27 users rather than sensor-based features of more users [1,2,9,22]. Nevertheless, it is crucial to establish appropriate evaluation settings to avoid providing false alarms to users, if our aim is to build systems that can be deployed in practice. To this end, we propose model building and evaluation under the following:

- LOUOCV: By definition, training should be performed strictly on features and target data derived from a sample of users and tested on a completely new user, since using target data from the unseen user as features violates the independence hypothesis. A model trained in this setting should achieve consistently better results on the unseen user compared to the naïve (from a modelling perspective) model that always predicts his/her average score.
- LOIOCV: By definition, the models trained under this setting should not violate the iid hypothesis. We have demonstrated that the temporal dependence between instances in the train and test set can provide over-optimistic results. A model trained on this setting should consistently outperform naïve, yet competitive, baseline methods, such as the last-entered mood score predictor, the user's average mood predictor and the auto-regressive model.

Models that can be effectively applied in any of the above settings could revolutionise the mental health assessment process while providing us in an unbiased setting with great insights on the types of behaviour that affect our mental wellbeing. On the other hand, positive results in the *MIXED* setting cannot guarantee model performance in a real-world setting in either *LOUOCV* or *LOIOCV*, even if they are compared against the user average baseline [4].

**Transfer learning** approaches can provide significant help in the LOUOCV setting. However, these assume that single-domain models have been effectively learned beforehand – but all of our single-user (LOIOCV) experiments provided negative results. Better feature engineering through **latent feature representations** may prove to be beneficial. While different users exhibit different behaviours, these behaviours may follow similar patterns in a latent space. Such representations have seen great success in recent years in the field of natural

language processing [15], where the aim is to capture latent similarities between seemingly diverse concepts and represent every feature based on its context. Finally, working with **larger datasets** can help in providing more data to train on, but also in assessing the model's ability to generalise in a more realistic setting.

# 7 Conclusion

Assessing mental health with digital media is a task which could have great impact on monitoring of mental well-being and personalised health. In the current paper, we have followed past experimental settings to evaluate the contribution of various features to the task of automatically predicting different mental health indices of an individual. We find that under an unbiased, real-world setting, the performance of state-of-the-art models drops significantly, making the contribution of the features impossible to assess. Crucially, this holds for both cases of creating a model that can be applied in previously unobserved users (*LOUOCV*) and a personalised model that is learned for every user individually (*LOIOCV*).

Our major goal for the future is to achieve positive results in the *LOUOCV* setting. To overcome the problem of having only few instances from a diversely behaving small group of subjects, transfer learning techniques on latent feature representations could be beneficial. A successful model in this setting would not only provide us with insights on what types of behaviour affect mental state, but could also be employed in a real-world system without the danger of providing false alarms to its users.

# Acknowledgements

The current work was supported by the EPSRC through the University of Warwick's CDT in Urban Science and Progress (grant EP/L016400/1) and through The Alan Turing Institute (grant EP/N510129/1). We would like to thank the anonymous reviewers for their detailed feedback and the authors of the works that were analysed in our paper (N. Jaques, R. LiKamWa, M. Musolesi) for the fruitful discussions over several aspects of the presented challenges.

## References

- Bogomolov, A., Lepri, B., Ferron, M., Pianesi, F., Pentland, A.S.: Pervasive Stress Recognition for Sustainable Living. In: Pervasive Computing and Communications Workshops (PERCOM Workshops), 2014 IEEE International Conference on. pp. 345–350. IEEE (2014)
- Bogomolov, A., Lepri, B., Pianesi, F.: Happiness Recognition from Mobile Phone Data. In: Social Computing (SocialCom), 2013 International Conference on. pp. 790–795. IEEE (2013)
- Canzian, L., Musolesi, M.: Trajectories of Depression: Unobtrusive Monitoring of Depressive States by Means of Smartphone Mobility Traces Analysis. In: Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing. pp. 1293–1304. ACM (2015)

Can We Assess Mental Health through Social Media and Smart Devices?

- DeMasi, O., Kording, K., Recht, B.: Meaningless Comparisons Lead to False Optimism in Medical Machine Learning. PLoS One 12(9), e0184604 (2017)
- Farhan, A.A., Yue, C., Morillo, R., Ware, S., Lu, J., Bi, J., Kamath, J., Russell, A., Bamis, A., Wang, B.: Behavior vs. Introspection: Refining Prediction of Clinical Depression via Smartphone Sensing Data. In: Wireless Health. pp. 30–37 (2016)
- 6. Gimpel, K., Schneider, N., O'Connor, B., Das, D., Mills, D., Eisenstein, J., Heilman, M., Yogatama, D., Flanigan, J., Smith, N.A.: Part-of-speech Tagging for Twitter: Annotation, Features, and Experiments. In: Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies: Short Papers-Volume 2. pp. 42–47. Association for Computational Linguistics (2011)
- Herrman, H., Saxena, S., Moodie, R., et al.: Promoting Mental Health: Concepts, Emerging Evidence, Practice: A Report of the World Health Organization, Department of Mental Health and Substance Abuse in Collaboration with the Victorian Health Promotion Foundation and the University of Melbourne. World Health Organization (2005)
- Hu, M., Liu, B.: Mining and Summarizing Customer Reviews. In: Proceedings of the 10th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining. pp. 168–177. ACM (2004)
- Jaques, N., Taylor, S., Azaria, A., Ghandeharioun, A., Sano, A., Picard, R.: Predicting Students' Happiness from Physiology, Phone, Mobility, and Behavioral Data. In: Affective Computing and Intelligent Interaction (ACII), 2015 International Conference on. pp. 222–228. IEEE (2015)
- Jaques, N., Taylor, S., Sano, A., Picard, R.: Multi-task, Multi-kernel Learning for Estimating Individual Wellbeing. In: Proc. NIPS Workshop on Multimodal Machine Learning, Montreal, Quebec (2015)
- Kiritchenko, S., Zhu, X., Mohammad, S.M.: Sentiment Analysis of Short Informal Texts. Journal of Artificial Intelligence Research 50, 723–762 (2014)
- Kroenke, K., Strine, T.W., Spitzer, R.L., Williams, J.B., Berry, J.T., Mokdad, A.H.: The PHQ-8 as a Measure of Current Depression in the General Population. Journal of Affective Disorders 114(1), 163–173 (2009)
- LiKamWa, R., Liu, Y., Lane, N.D., Zhong, L.: Moodscope: Building a Mood Sensor from Smartphone Usage Patterns. In: Proceeding of the 11th Annual International Conference on Mobile Systems, Applications, and Services. pp. 389–402. ACM (2013)
- Ma, Y., Xu, B., Bai, Y., Sun, G., Zhu, R.: Daily Mood Assessment based on Mobile Phone Sensing. In: Wearable and Implantable Body Sensor Networks (BSN), 2012 9th International Conference on. pp. 142–147. IEEE (2012)
- Mikolov, T., Sutskever, I., Chen, K., Corrado, G.S., Dean, J.: Distributed Representations of Words and Phrases and their Compositionality. In: Advances in Neural Information Processing Systems. pp. 3111–3119 (2013)
- 16. Mohammad, S.: #Emotional Tweets. In: \*SEM 2012: The 1st Joint Conference on Lexical and Computational Semantics – Volume 1: Proceedings of the Main Conference and the Shared Task, and Volume 2: Proceedings of the 6th International Workshop on Semantic Evaluation (SemEval 2012). pp. 246–255. Association for Computational Linguistics (2012)
- Mohammad, S., Dunne, C., Dorr, B.: Generating High-Coverage Semantic Orientation Lexicons from Overtly Marked Words and a Thesaurus. In: Proceedings of the 2009 Conference on Empirical Methods in Natural Language Processing: Volume 2. pp. 599–608. Association for Computational Linguistics (2009)

- 16 A. Tsakalidis et al.
- Nielsen, F.Å.: A new ANEW: Evaluation of a Word List for Sentiment Analysis in Microblogs. In: Workshop on'Making Sense of Microposts: Big Things Come in Small Packages. pp. 93–98 (2011)
- OECD: How's Life? 2013: Measuring Well-being (2013), http://dx.doi.org/10. 1787/9789264201392-en
- Olesen, J., Gustavsson, A., Svensson, M., Wittchen, H.U., Jönsson, B.: The Economic Cost of Brain Disorders in Europe. European Journal of Neurology 19(1), 155–162 (2012)
- Preoțiuc-Pietro, D., Volkova, S., Lampos, V., Bachrach, Y., Aletras, N.: Studying User Income through Language, Behaviour and Affect in Social Media. PloS One 10(9), e0138717 (2015)
- 22. Servia-Rodríguez, S., Rachuri, K.K., Mascolo, C., Rentfrow, P.J., Lathia, N., Sandstrom, G.M.: Mobile Sensing at the Service of Mental Well-being: a Large-scale Longitudinal Study. In: Proceedings of the 26th International Conference on World Wide Web. pp. 103–112. International World Wide Web Conferences Steering Committee (2017)
- 23. Suhara, Y., Xu, Y., Pentland, A.: DeepMood: Forecasting Depressed Mood based on Self-reported Histories via Recurrent Neural Networks. In: Proceedings of the 26th International Conference on World Wide Web. pp. 715–724. International World Wide Web Conferences Steering Committee (2017)
- Tang, D., Wei, F., Yang, N., Zhou, M., Liu, T., Qin, B.: Learning Sentiment-specific Word Embedding for Twitter Sentiment Classification. In: Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers). vol. 1, pp. 1555–1565 (2014)
- Tennant, R., Hiller, L., Fishwick, R., Platt, S., Joseph, S., Weich, S., Parkinson, J., Secker, J., Stewart-Brown, S.: The Warwick-Edinburgh Mental Well-being Scale (WEMWBS): Development and UK Validation. Health and Quality of life Outcomes 5(1), 63 (2007)
- Tsakalidis, A., Liakata, M., Damoulas, T., Jellinek, B., Guo, W., Cristea, A.I.: Combining Heterogeneous User Generated Data to Sense Well-being. In: Proceedings of the 26th International Conference on Computational Linguistics. pp. 3007– 3018 (2016)
- Wang, R., Aung, M.S., Abdullah, S., Brian, R., Campbell, A.T., Choudhury, T., Hauser, M., Kane, J., Merrill, M., Scherer, E.A., et al.: CrossCheck: Toward Passive Sensing and Detection of Mental Health Changes in People with Schizophrenia. In: Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing. pp. 886–897. ACM (2016)
- Wang, R., Chen, F., Chen, Z., Li, T., Harari, G., Tignor, S., Zhou, X., Ben-Zeev, D., Campbell, A.T.: StudentLife: Assessing Mental Health, Academic Performance and Behavioral Trends of College Students using Smartphones. In: Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing. pp. 3–14. ACM (2014)
- Watson, D., Clark, L.A., Tellegen, A.: Development and Validation of Brief Measures of Positive and Negative Affect: The PANAS Scales. Journal of Personality and Social Psychology 54(6), 1063 (1988)
- Zhu, X., Kiritchenko, S., Mohammad, S.M.: NRC-Canada-2014: Recent Improvements in the Sentiment Analysis of Tweets. In: Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014). pp. 443–447. Citeseer (2014)