# Data Structure Report of Small-scale sampling at Mealasta, Lewis, Western Isles of Scotland

#### **Project Summary**

Client	Dr David Caldwell
National Grid Reference	NA 99110 24070
Project Leader	Dr Mike Church, Dr Simon Gilmour
Text	Dr Claire Nesbitt, Dr Mike Church, Dr Simon Gilmour
Illustrations	Dr Claire Nesbitt
Fieldwork	Dr Mike Church, Dr Simon Gilmour, Dr Claire Nesbitt, Prof Peter Rowley-Conwy, Emily Blake, Angela Perri, Stephanie Piper
Schedule	September 2011



Sampling in progress at Mealasta

#### Summary

The area of Mealasta is known to be the location of medieval settlement, with a possible nunnery on the headland. A sampling exercise was undertaken in September 2011 by a team from Durham University and Society of Antiquaries of Scotland, led by Dr Mike Church and Dr Simon Gilmour, to record a section of the shoreline which was becoming eroded. The strategy was to take soil samples and coring samples from the immediate area of the erosion to ascertain the date of the archaeology that is evident there and perhaps define the nature of the site. The sampling strategy involved removing 14 soil samples for analysis in the laboratory and 6 core samples that were taken at various points behind the eroding edge for sediment analysis. The postfieldwork analysis is still on-going; this document presents the stratigraphy of the recorded section together with survey data and section drawings. The fieldwork was commissioned by Dr David Caldwell of National Museums Scotland and was funded by the Hunter Trust.

## Introduction

Mealasta is located on the west coast of the Isle of Lewis, south of Uig and the Mangersta headland (Figure 1). The geology of the area is similar to other western coastal areas in Lewis with machair stretching between the shoreline and the upland peat areas further inland. The machair provides good preservation for calcium based materials such as bone and shell which do not survive in the more acidic inland peat landscape. Pottery sherds also survive well on machair sites (Griffiths and Ashmore 2004: 50). The area of Mealasta is rich in archaeology demonstrating evidence for a souterrain (Thomas, 1870), horizontal water mills of probable post-medieval date, a probable religious complex including the foundations of a small church and graveyard which remain undated (Caldwell et al 2009) and earthwork remains of a village with a field system and nearby marine industry which probably date to the late medieval to post-medieval (Figure 2). Small finds from the area include burnt flint, post-medieval pottery, gunflint and a 12<sup>th</sup>-13<sup>th</sup> century bronze finger ring (Treasure Trove Case TT.107/03). The sampling survey was undertaken to ascertain the date of the archaeology that is being damaged by coastal erosion and can be seen in the eroding edge of the shoreline.

## Methodology

The extent of the eroding section was first assessed by walk-over survey and then the eroding sections were photographed. The sections were then hand-cleaned by trowel to clarify the stratigraphy exposed and then photographed and drawn. Small bulk samples were then taken from key stratigraphic contexts in the eroding face for environmental analysis and radiocarbon dating. 6 boreholes of 20mm diameter were then cored using a bucket auger behind the eroding section to identify if there were any deeper archaeological deposits. All of the boreholes and the sampling points in the eroding section were then re-instated by covering over with turf.

### **Fieldwork results**

Figure 3 presents the running-section along the eroding face (see Figure 2 for location within the site) and Figure 4 presents the Harris Matrix of the archaeological contexts. Figure 5 presents the results of the bore-hole survey. A previous survey undertaken by

Barrowman in 2005 (Barrowman, 2006) noted the eroding edge in the sampling area, and the eroding edge has advanced by up to 2 m. in places by 2012 (see Figure 2).

The whole eroded section is overlain with turf; below the turf an amended soil (001) runs across the entire eroding section. Context 001 was sampled (S001) at the northern end of the eroding section. This context contained increased concentrations of shell, suggesting possible discrete midden dumps. One such shell deposit in the section between survey markers E and F was sampled (S003). The natural sand (017) underlies all of the contexts and between survey markers C and D includes within it a lens of dark grey sandy soil with numerous shell inclusions (002) and a lens of orange brown and black peat ash (003). The lens of peat ash (003) sits immediately below the lens of sandy soil (002) and their arrangement in section suggests that they could be part of a cut into the base layer of natural sand (017). Samples S002 and S005 were taken from 002 and 003 respectively.

At the northern end of the eroded edge there is a relatively clear horizon between the amended soil (001) and the natural sand below (017). Further south in the section, between survey markers F and G context 004 appears to a dark grey sandy fill of a possible pit cut into the natural sand (017). Close to this, about 1m further south in the section is a similar pit (005) this time a well-defined rectangular pit filled with dark grey sand. The fill is markedly different from the amended soil (001) above. A soil sample (S006) was taken from this pit feature for analysis. In the middle of the eroding edge, between survey markers G and H, a dark grey brown sandy deposit (006) fills the area between two large stones, the fill abuts the stones on either side and overlies a very dark brown layer of soil (007) in which a large piece of bone (as yet unidentified) was embedded. The delineation of this area with stones, the dark possible floor layer (007) and the absence of amended soil (001) above fill 006 could suggest that this represents a building. Samples were taken from the fill 006 (S007) and the possible floor level 007 (S008) for analysis. Context 008, a very dark layer of soil sits below the possible floor (007) and above the natural sand (017). The exact relationship of this context with the possible building is obscured by the rabbit damage which is a feature of the entire eroding section. It is possible however that 008 represents either a pit cut into the floor (007) or an earlier floor level within the building. The possible building continues south into section I-J. Deposits 009 a grey sandy band overlying 010 a darker grey sandy deposit may represent building fills as they abut large stones in the south side of the section. Below 010 lay another very thin, black deposit (011) which may be the same as 007 in the northern end of the possible building. There is a clear sharp horizon between 011 and the natural sand (017) below. Samples S011, S012 and S013 were taken from deposits 009, 010 and 011 respectively for analysis.

Context 012, a clear lens of burnt peat lay immediately below a large and small stone in a concentration of loose stones between survey marker I and K. These stones could suggest some form of structure. Immediately beneath the burnt peat (012) was a thin black deposit (013) at the base of the orange peat ash (012). Below the thin deposit 013 lay a more sandy brown deposit (014). It is unclear whether this represents amended soil, like 001 or perhaps the fill of a collapsed structure. The only small find to be recovered from the section (a piece of deer antler) was located in the deposit 014. Below deposit 014 was a further dark grey sandy layer within the area of stones which could represent a structural fill. A sample (S014) was removed from deposit 015 for analysis. These burnt deposits directly overlie the natural (017) beneath stones and in an area where there is a concentration of loose stone in the section; it may suggest a collapsed structure.

At the southernmost end of the eroded section, between survey markers K and L another pit feature was discovered. This pit, just over a meter long and filled by dark grey sandy deposit 016, was cut into the natural sand 017. A soil sample (S009) was taken from the fill for analysis.

The borehole survey established that there were no other layers of archaeology immediately below the material revealed by the eroding section and that clean machair sand underlain the material for at least 2 metres in 4 out of the 6 boreholes. No material was therefore retained for environmental and radiocarbon dating analysis from the boreholes.

#### **Post-excavation analysis**

The bulk samples were processed in the Environmental laboratories of Archaeology, Durham University. Routine samples of ~0.1 litres were taken from these bulk samples for sedimentary analysis. The bulk samples were processed following Kenward *et al.* (1980), using 1.0 and 0.3mm sieves for the flot and a 1.0 mm sieve net to catch the residue. The flot and residue were sorted and the resulting material is forming the basis of research dissertation by Nikki Chiampa (MSc Archaeological Science at Durham University). A single barley grain from Context 011 has been submitted to SUERC for radiocarbon dating (funded by Durham University).

#### Acknowledgments

We would like to thank the Hunter Trust for funding the field research and Historic Scotland for providing Schedule Monument Consent for the field sampling. We would also like to thank the Uig and Hamnaway Estate and John Darley (Clerk of Breanish Grazings) for permission to take samples.

#### References

Barrowman, R.C. 2006. *Lewis coastal chapel sites survey: Topographic survey 2005*. Glasgow University.

Caldwell, D.H., Hall, M.A. and Wilkinson, C.M. 2009. The Lewis hoard of gaming pieces: A re-examination of their context, meanings, discovery and manufacture. *Medieval Archaeology* **53**, 155-203.

Griffiths, D. and Ashmore, P. 2004. Aeolian Archaeology: the Archaeology of Sand Landscapes in Scotland. *SAIR* **48**.

Kenward, H. K., Hall, A. R. and Jones, A. K. G. 1980. A tested set of techniques for the extraction of plant and animal macrofossils from waterlogged archaeological deposits. *Science and Archaeology* **22**, 3-15.

Thomas, F.W.L. 1870. On the primitive dwellings and hypogeal of the Outer Hebrides. *Proceedings of the Society of Antiquaries of Scotland* **7**, 153-95.



**Figure 1.** Location map showing Scheduled Area in red and sampling area in blue box



Figure 2. Survey of Mealasta with eroding section and sampling points located





Figure 3. Eroding section at Mealasta



Figure 4. Harris Matrix of eroding section at Mealasta



Figure 5. Borehole survey at Mealasta

#### **Context List**

Context Number	Description
1	Turf
2	Dark grey/brown sand
3	Orange/brown/black peat ash
	Dark grey sandy material with burnt
4	inclusions
5	Dark grey sandy material
6	Dark grey brown sandy material
7	Black soily deposit
8	Thin lens of black material
9	Grey sand
10	Dark Grey sand
11	Black soily deposit
12	Orange clayey burnt peat
13	Black deposit / interface of burnt peat
14	Brown sandy soil
15	Dark grey sand
16	Dark grey sand
17	Yellow/orange (natural) sand

#### Sample List

Sample	Context	Sample Type	Volume	Date	Initials
1	1	Bulk Sample	5 litres	20/09/2011	EB
2	2	Bulk Sample	2 litres	20/09/2011	SP
3	1	Bulk Sample	5 litres	20/09/2011	ARP
4	4	Bulk Sample	2 litres	20/09/2011	PRC
5	3	Bulk Sample	1 litre	20/09/2011	SP
6	5	Bulk Sample	2 litres	20/09/2011	EB
7	6	Bulk Sample	5 litres	20/09/2011	ARP
8	8	Bulk Sample	0.5 litres	20/09/2011	PRC
9	16	Bulk Sample	5 litres	20/09/2011	EB
10	012 & 013	Bulk Sample	0.5 litres	20/09/2011	SP
11	9	Bulk Sample	1 litre	20/09/2011	ARP
12	10	Bulk Sample	6 litres	20/09/2011	ARP
13	11	Bulk Sample	1 litre	20/09/2011	ARP
14	15	Bulk Sample	3 litres	20/09/2011	SP

## Small Find List

Small Find Number	Context	<b>Object</b> Type
1	14	Deer antler

## **Digital Photograph List**

tion

MEAL11 DP116-	
125	Reinstatement shots
MEAL11 DP126	View of site from south-west
MEAL11 DP127-	
132	Panorama of site to seascape from north to south
MEAL11 DP133	View of site from south
MEAL11 DP134-	Various shots of eroding section to north of site and
1.40	

## **Drawing List**

Drawing	
Number	Description
	Section Drawings of Sections A-B, B-C, C-D, E-F, F-G and G-H
1	at 1:20
2	Section Drawings of Sections I-J, J-K and K-L
3	Coring Profiles of Cores 1-6 at 1:10 scale